

CERTIFICATION by CUSTODIAN of RECORDS

Tucson Police Department Crime Laboratory

270 S. Stone Avenue Tucson, AZ 85701-1917

### EXHIBIT G-4

# THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104(A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY

STANDARD QUALITY ASSURANCE PROCEDURES INTOXILYZER MODEL 8000

STANDARD QUALITY ASSURANCE PROCEDURE

B4 2011

QA SPECIALIST Chenyl Straub AGENCY Tucson Police Department			
DATE 07/28/2011 TIME 08:10			
INTOXILYZER SERIAL # 80-002245 LOCATION TEAM 5			
( ) 1. Display reads "PUSH BUTTON TO START"			
DIAGNOSTIC TESTS			
1. Clock time check. 2. Date check.			
OPERATIONAL TESTS			
1. Alcohol-free subject test result 0. 000 AC.  2. Error recognition logic system functioning.  Not a Successfully Completed Test Sequence printed  3. Proper sample recognition system.  Not a Successfully Completed Test Sequence printed  Deficient sample printed.  4. Standard Calibration Check standard 0. 100 AC  Result: 0. 098 AC  Instrument is operating properly and accurately. YES NO			
COMMENTS			
SIGNATURE Olyl Stan			

DPS Form Exh G-4 (Rev. 05-01)

Location: TUCSON POLICE DEPT

Serial Number: 80-002265

07/28/2011

08:11:31

Standard Lot#: 20910100A1
Last Changed By: C. STRAUB #50772

QAS: C. STRAUB #50772

TUCSON PD

Operator: C. STRAUB #50772

TUCSON PD

Subject: SQAP, SQAP DOB: 11/11/1111

Sex: F

Weight: 111

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	08:12:19
Diagnostic Test	Pass	08:12:46
Air Blank	0.000	08:13:13
0.100 Cal Check	0.099	08:13:32
Air Blank	0.000	08:14:01
Subject Test	0.000	08:14:20
Air Blank	ABT*	08:14:27
Air Blank	0.000	08:14:55

<sup>\*</sup>Sequence Aborted

## Not a Successfully Completed Test Sequence

Location: TUCSON POLICE DEPT

Serial Number: 80-002265

07/28/2011

08:14:59

Standard Lot#: 20910100A1
Last Changed By: C. STRAUB #50772

QAS: C. STRAUB #50772

TUCSON PD

Operator: C. STRAUB #50772

TUCSON PD

Subject: SQAP, SQAP

DOB: 11/11/1111
Sex: F

Weight: 111

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	RFI*	08:15:36
Air Blank	IPS**	08:15:46

\*RFI Detect

\*\*Improper Sample



Location: TUCSON POLICE DEPT

Serial Number: 80-002265

07/28/2011 08:15:51

Standard Lot#: 20910100A1
Last Changed By: C. STRAUB #50772

QAS: C. STRAUB #50772

TUCSON PD

Operator: C. STRAUB #50772

TUCSON PD

Subject: SQAP, SQAP DOB: 11/11/1111

Sex: F Weight: 111

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	08:16:41
Diagnostic Test	Pass	08:17:09
Air Blank	0.000	08:17:36
0.100 Cal Check	0.099	08:17:55
Air Blank	0.000	08:18:24
Subject Test	0.141*	08:21:32
Air Blank	0.000	08:22:05
Air Blank	0.000	08:22:33
Subject Test	XXX**	08:23:01
Air Blank	0.000	08:23:36

<sup>\*</sup>Deficient Sample

Begin new deprivation period

Not a Successfully Completed Test Sequence

<sup>\*\*</sup>Invalid Sample

Location: TUCSON POLICE DEPT Serial Number: 80-002265

07/28/2011

08:24:20

Standard Lot#: 20910100A1

Last Changed By: C. STRAUB #50772

QAS: C. STRAUB #50772

TUCSON PD

 124

### EXHIBIT G-2

# THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104(A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY

STANDARD QUALITY ASSURANCE PROCEDURES INTOXILYZER MODEL 8000

STANDARD CALIBRATION CHECK PROCEDURE

134 2011 9.2.2011

QA	Spec	cial:	ist Cheryl Strauß AGENCY Tucson Police Department
DAT	E _	07	7/28/2011 TIME 68:10
			Serial # <u>80-002265</u> Location <u>TFAM 5</u>
	)	1.	Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution 0. $\frac{100}{100}$ AC.
			Pour a standard alcohol concentration solution $NA$ AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
( <i>'</i>	<b>(</b> )	2.	Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
			Intoxilyzer 8000 display reads "PUSH BUTTON TO START"  Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
( V	)	4.	Air blank completed
( 1	)	5.	Calibration check completed. Test results 0. 099 AC. Air blank completed.  Remove printed record. Attach the record to the completed
( V	)	6.	Air blank completed.
( V	)	7.	Remove printed record. Attach the record to the completed checklist.
SIG	NATU	JRE	Clyl Fa
DPS	For	m Ex	th G-2 (Rev. 05-01)

Location: TUCSON POLICE DEPT Serial Number: 80-002265

07/28/2011

08:10:05

Standard Lot#: 20910100A1

Last Changed By: C. STRAUB #50772

-----

QAS: C. STRAUB #50772

TUCSON PD

\_\_\_\_\_\_

Test	g/210L	Time
Air Blank	0.000	08:10:32
Cal Check	0.099	08:10:51
Air Blank	0.000	08:11:20

Operator's Signature